IEE Proceedings Part C

Generation, Transmission and Distribution

The Institution of Electrical Engineers, Savoy Place, London WC2R 0BL, United Kingdom
Publishing Department: Michael Faraday House, Six Hills Way, Stevenage, Herts. SG1 2AY, United Kingdom

Volume 136 1989 UK ISSN 0143–7046

HONORARY EDITORS

Dr. D.R. Aubrey (*Electricity Council Research Centre*)
Prof. J.R. Smith (*University of Aberdeen*)

Pages in issues of *IEE Proceedings Part C*, 1989

Pages	Issue No.	Date
1–56	1	January
57–120	2	March
121–214	3	May
215–258	4	July
259–318	5	September
319–414	6	November

This publication is copyright under the Berne Convention and the International Copyright Convention. All rights reserved. Apart from any copying under the UK Copyright, Designs and Patents Act 1988, Part 1, Section 38, whereby a single copy of this article may be supplied, under certain conditions, for the purposes of research or private study, by a library of a class prescribed by The Copyright (Librarians and Archivists) (Copying of Copyright Material) Regulations 1989: SI 1989/1212, no part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means without the prior permission of the copyright owners. Permission is, however, not required to copy abstracts of papers or articles on condition that a full reference to the source is shown.

Authorisation to photocopy items for internal or personal use, or for the internal or personal use of specific clients, is granted by the Institution of Electrical Engineers for libraries and other users registered with the Copyright Clearance Center Transactional Reporting Service, provided that the base fee of $3.00 per copy is paid directly to the Copyright Clearance Center, Inc., 21 Congress Street, Salem, MA 01970, USA. 0143–7046/89 $3.00 + 0.00. This consent does not extend to other kinds of copying, such as copying for general distribution, for advertising or promotional purposes, for creating new collective works, or for resale.

Photocopies of individual papers published in the *IEE Proceedings* can be supplied from the IEE Library at 10p per page plus a handling charge, which covers the cost of surface mail (airmail extra). The handling charge is waived if reprints are collected from Savoy Place by purchasers.

The telephone number of the IEE London office is 01 240 1871; telex: 261176 IEELDN G; facsimile: 01 240 77 35.

The IEE is not as a body responsible for the opinions expressed by individual authors.
The IEE is a member of the Association of Learned & Professional Society Publishers.

© 1989: The Institution of Electrical Engineers

Secretary of the IEE: J.C. Williams, PhD, CEng, FIEE
Managing Editor: Bernard Dunkley; *Assistant Editor:* Dominic Lenton
Graphics Manager: Maurice Partridge

Typeset by: Santype International Limited, Salisbury, Wiltshire, United Kingdom
Printed by: Black Bear Press Limited, Cambridge, United Kingdom

IEE Proceedings Part C

Generation, Transmission and Distribution

The Institution of Electrical Engineers, Savoy Place, London WC2R 0BL, United Kingdom
Publishing Department: Michael Faraday House, Six Hills Way, Stevenage, Herts. SG1 2AY, United Kingdom

Volume 136 1989 UK ISSN 0143–7046

HONORARY EDITORS

Dr. D.R. Aubrey (*Electricity Council Research Centre*)
Prof. J.R. Smith (*University of Aberdeen*)

Pages in issues of *IEE Proceedings Part C*, 1989

Pages	Issue No.	Date
1–56	1	January
57–120	2	March
121–214	3	May
215–258	4	July
259–318	5	September
319–414	6	November

This publication is copyright under the Berne Convention and the International Copyright Convention. All rights reserved. Apart from any copying under the UK Copyright, Designs and Patents Act 1988, Part 1, Section 38, whereby a single copy of this article may be supplied, under certain conditions, for the purposes of research or private study, by a library of a class prescribed by The Copyright (Librarians and Archivists) (Copying of Copyright Material) Regulations 1989: SI 1989/1212, no part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means without the prior permission of the copyright owners. Permission is, however, not required to copy abstracts of papers or articles on condition that a full reference to the source is shown.

Authorisation to photocopy items for internal or personal use, or for the internal or personal use of specific clients, is granted by the Institution of Electrical Engineers for libraries and other users registered with the Copyright Clearance Center Transactional Reporting Service, provided that the base fee of $3.00 per copy is paid directly to the Copyright Clearance Center, Inc., 21 Congress Street, Salem, MA 01970, USA. 0143–7046/89 $3.00 + 0.00. This consent does not extend to other kinds of copying, such as copying for general distribution, for advertising or promotional purposes, for creating new collective works, or for resale.

Photocopies of individual papers published in the *IEE Proceedings* can be supplied from the IEE Library at 10p per page plus a handling charge, which covers the cost of surface mail (airmail extra). The handling charge is waived if reprints are collected from Savoy Place by purchasers.

The telephone number of the IEE London office is 01 240 1871; telex: 261176 IEELDN G; facsimile: 01 240 77 35.

The IEE is not as a body responsible for the opinions expressed by individual authors.
The IEE is a member of the Association of Learned & Professional Society Publishers.

© 1989: The Institution of Electrical Engineers

Secretary of the IEE: J.C. Williams, PhD, CEng, FIEE
Managing Editor: Bernard Dunkley; *Assistant Editor:* Dominic Lenton
Graphics Manager: Maurice Partridge

Typeset by: Santype International Limited, Salisbury, Wiltshire, United Kingdom
Printed by: Black Bear Press Limited, Cambridge, United Kingdom

Index

ABBREVIATIONS

- p paper, address or lecture
- d discussion on a paper
- a abstract of paper or address
- e errata

IEE Proceedings Part C
Generation, Transmission and Distribution
Vol. 136, 1989

Author index

A

Abdalla, O.H., Walker, P.A.W., and Serag, A.M. see Walker, P.A.W.
Acha, E., Arrillaga, J., Medina, A., and Semlyen, A. General frame of reference for analysis of harmonic distortion in systems with multiple transformer nonlinearities p271
Agarwal, S.K., Billinton, R., and Khan, E. see Billinton, R.
Alexandridis, A.T., and Galanos, G.D. Design of an optimal current regulator for weak AC/DC systems using Kalman filtering in the presence of unknown inputs p57
Amoruso, V., Savino, M., and Sylos Labini, M. Analysis of large grounding systems for earth-resistance measurements in two-layer soils p314
Anis, H., and Morcos, M. see Morcos, M.
Arkell, C.A., Galloway, S.J., Parsons, E.B., Woodcock, B.G., and Woolmer, D.E. Design, manufacture and installation of 150 kV submarine cable system for the Java–Madura interconnection p121
Arnold, C.P., Watson, N.R., and Arrillaga, J. see Watson, N.R.
Arrillaga, J., Acha, E., Medina, A., and Semlyen, A. see Acha, E.
Arrillaga, J., Watson, N.R., and Arnold, C.P. see Watson, N.R.
Arrillaga, J., and Callaghan, C.D. Double-iterative algorithm for the analysis of power and harmonic flows at AC/DC convertor terminals p319
Auckland, D.W., Omoigui, M.O., and Shuttleworth, R. Improvement of power system stability by crosscoupling generator control systems p289
Azit, A.H., Jasmon, G.B., and Sairan, S.B. see Jasmon, G.B.

B

Bahgat, A., Sakr, M.M.F., and El-Shafei, A.R. Two level dynamic state estimator for electric power systems based on nonlinear transformation p15
Barakat, E.H., and Eissa, M.A.M. Forecasting monthly peak demand in fast growing electric utility using a composite multiregression-decomposition model p35
Bedford, T.J., Jack, A.G., and Meng, L.G. see Jack, A.G.
Berry, P.E., and Dunnett, R.M. Contingency constrained economic dispatch algorithm for transmission planning p238
Billinton, R., Khan, E., and Agarwal, S.K. Contingency cut-off criteria in transmission system adequacy assessment p215
Bodger, P.S., and Norriss, T.B. see Norriss, T.B.
Boone, W., Broughton, R.C., Oliver, A.J., Soulsby, D.R., Stephenson, P.L., and Kuiper, J. see Broughton, R.C.
Bronfman, A. Influence of the fluctuation of the ambient temperature on the lifetime of metal oxide arresters p55
Broughton, R.C., Oliver, A.J., Soulsby, D.R., Stephenson, P.L., Boone, W., and Kuiper, J. Investigation of temperature and oil flow in EHV sealing ends p230

C

Callaghan, C.D., and Arrillaga, J. see Arrillaga, J.
Calvo Cantera, J.M.C., Do Coutto Filho, M.B., Leite da Silva, A.M., and da Silva, R.A. see Do Coutto Filho, M.B.
Chang, C.S. Fast power system voltage prediction using knowledge-based approach and on-line box data creation p87
Cheung, H.N., and Wong, K.P. see Wong, K.P.
Christopoulos, C., Thomas, D.W.P., and Wright, A. Signal processing and discriminating techniques incorporated in a protective scheme based on travelling waves p279
Conlon, M., Wilcox, D.J., and Hurley, W.G. see Wilcox, D.J.
Cross, C.S., Mecrow, B.C., and Jack, A.G. see Mecrow, B.C.

D

Damstra, G.C., van den Heuvel, W.M.C., and Janssen, A.L.J. see van den Heuvel, W.M.C.
da Silva, R.A., Do Coutto Filho, M.B., Leite da Silva, A.M., and Calvo Cantera, J.M.C. see Do Coutto Filho, M.B.
de Oliveira, S.E.M. Effect of excitation systems and of power system stabilisers on synchronous generator damping and synchronising torques p264
Desai, B.T., Gupta, H.O., and Vasantha, M.K. New one-cycle static blocking scheme for inrush in differential relay p48
Dias, L.G., and El-Hawary, M.E. Effects of active and reactive power modelling in optimal load flow studies p259
Dias, L.G., and El-Hawary, M.E. Nonlinear parameter estimation experiments for static load modelling in electric power systems p68
Do Coutto Filho, M.B., Leite da Silva, A.M., Calvo Cantera, J.M.C., and da Silva, R.A. Information debugging for real-time power systems monitoring p145
Dunnett, R.M., and Berry, P.E. see Berry, P.E.

E

Eissa, M.A.M., and Barakat, E.H. see Barakat, E.H.
El-Dewieny, R.M., Farghal, S.A., and Riad, A.M. see Farghal, S.A.
El-Hawary, M.E., and Dias, L.G. see Dias, L.G.
El-Shafei, A.R., Bahgat, A., and Sakr, M.M.F. see Bahgat, A.
Elrazaz, Z.S., and Mazi, A.A. Unified weekly peak load forecasting for fast growing power system p29

F

Fairney, W. Address as the Chairman of the IEE Power Division: The solution of scientific and engineering problems in the development of electrical generating plant p1
Farghal, S.A., El-Dewieny, R.M., and Riad, A.M. Economic justification of cogeneration systems for industrial steam users and utility systems p100
Fong, C.C. Reliability evaluation of transmission and distribution configurations with duration dependent effects p314 e314

G

Galanos, G.D., and Alexandridis, A.T. see Alexandridis, A.T.
Galloway, S.J., Arkell, C.A., Parsons, E.B., Woodcock, B.G., and Woolmer, D.E. see Arkell, C.A.
Ghani, M.R. Ab., and Hindi, K.S. see Hindi, K.S.
Gönen, T., and Ramirez-Rosado, I.J. Review of distribution system planning models: a model for optimal multistage planning p413
Granelli, G.P., Marannino, P., Montagna, M., and Silvestri, A. Fast and efficient gradient projection algorithm for dynamic generation dispatching p295
Gupta, H.O., Desai, B.T., and Vasantha, M.K. see Desai, B.T.

H

Hamdan, A.M.A., Hamdan, H.M.A., and Kahhaleh, B. see Hamdan, H.M.A.
Hamdan, H.M.A., Hamdan, A.M.A., and Kahhaleh, B. Damping of power system oscillations by excitation control using a current feedback signal p137
Haque, M.H., and Rahim, A.H.M.A. Determination of first swing stability limit of multimachine power systems through Taylor series expansions p373
Hawary, M.E., and Ravindranath, K.M. correspondence: Minimum loss against minimum fuel power flow in hydrothermal electrical power systems p315
Hindi, K.S., and Ghani, M.R. Ab. Multiperiod secure economic dispatch for large-scale power systems p130
Hiyama, T. Application of rule-base stabilising controller to electrical power system p175
Hsu, Y.-Y., and Wang, L. Modal control of an HV DC system for the damping of subsynchronous oscillations p78
Humpage, W.D., and Nguyen, T.T. see Nguyen, T.T.
Hurley, W.G., Wilcox, D.J., and Conlon, M. see Wilcox, D.J.

J

Jack, A.G., Mecrow, B.C., and Cross, C.S. see Mecrow, B.C.
Jack, A.G., Meng, L.G., and Bedford, T.J. Frequency domain-based methods to predict turbogenerator transients with particular emphasis on the field current p206
Janssen, A.L.J., van den Heuvel, W.M.C., and Damstra, G.C. see van den Heuvel, W.M.C.
Jasmon, G.B., Azit, A.H., and Sairan, S.B. Feeder load analysis for utility demand side management p303
Jasmon, G.B., and Mohamed, A. see Mohamed, A.

K

Kahhaleh, B., Hamdan, H.M.A., and Hamdan, A.M.A. see Hamdan, H.M.A.
Khan, E., Billinton, R., and Agarwal, S.K. see Billinton, R.
Koopmans, G., van de Wiel, G.M.L.M., van Loon, L.J.M., and Palland, C.L. Soil physical route survey and cable thermal design procedure p341
Kothari, D.P., Nanda, J., and Srivastava, S.C. see Nanda, J.
Kuiper, J., Broughton, R.C., Oliver, A.J., Soulsby, D.R., Stephenson, P.L., and Boone, W. see Broughton, R.C.

L

Leite da Silva, A.M., Do Coutto Filho, M.B., Calvo Cantera, J.M.C., and da Silva, R.A. see Do Coutto Filho, M.B.
Łobos, T. Nonrecursive methods for real-time determination of basic waveforms of voltages and currents p347

M

Marannino, P., Granelli, G.P., Montagna, M., and Silvestri, A. see Granelli, G.P.
Marsh, J.F. Structure of measurement Jacobian matrices for power systems p407
Mazi, A.A., and Elrazaz, Z.S. see Elrazaz, Z.S.
Mecrow, B.C., Jack, A.G., and Cross, C.S. Electromagnetic design of turbogenerator stator end regions p361
Medina, A., Acha, E., Arrillaga, J., and Semlyen, A. see Acha, E.
Meng, L.G., Jack, A.G., and Bedford, T.J. see Jack, A.G.
Mihirig, A.M., and Wvong, M.D. Transient stability analysis of multimachine power systems by catastrophe theory p254
Mohamed, A., and Jasmon, G.B. Voltage contingency selection technique for security assessment p24
Montagna, M., Granelli, G.P., Marannino, P., and Silvestri, A. see Granelli, G.P.
Morcos, M., and Anis, H. Random energisation transients in EHV systems p325
Müller, N., and Quintana, V.H. Line and shunt switching to alleviate overloads and voltage violations in power networks p246

N

Nanda, J., Kothari, D.P., and Srivastava, S.C. New optimal power-dispatch algorithm using Fletcher's quadratic programming method p153
Naredo, J.L., and Soudack, A.C. Extension of Senn's method to the analysis of PLC systems applied to delta transmission lines p353

Nguyen, T.T., and Humpage, W.D. TCR and SR compensators in composite electromagnetic transient simulation p195
Norriss, T.B., and Bodger, P.S. Ripple control signal interference due to a lightly loaded rural distribution line p401

O

Oliver, A.J., Broughton, R.C., Soulsby, D.R., Stephenson, P.L., Boone, W., and Kuiper, J. see Broughton, R.C.
Omoigui, M.O., Auckland, D.W., and Shuttleworth, R. see Auckland, D.W.

P

Palland, C.L., Koopmans, G., van de Wiel, G.M.L.M., and van Loon, L.J.M. see Koopmans, G.
Parsons, E.B., Arkell, C.A., Galloway, S.J., Woodcock, B.G., and Woolmer, D.E. see Arkell, C.A.
Premoli, A., and Tosato, F. The delta resonator: a new approach to load compensation theory in three-phase power systems p381

Q

Quintana, V.H., and Müller, N. see Müller, N.

R

Rahim, A.H.M.A., and Haque, M.H. see Haque, M.H.
Ramirez-Rosado, I.J., and Gönen, T. see Gönen, T.
Ravindranath, K.M., and Hawary, M.E. see Hawary, M.E.
Riad, A.M., Farghal, S.A., and El-Dewieny, R.M. see Farghal, S.A.

S

Sairan, S.B., Jasmon, G.B., and Azit, A.H. see Jasmon, G.B.
Sakr, M.M.F., Bahgat, A., and El-Shafei, A.R. see Bahgat, A.
Sallam, A.A. Power systems transient stability assessment using catastrophe theory p108
Savić, M.S. Engineering method for high-voltage substations lightning performance estimation p222
Savino, M., Amoruso, V., and Sylos Labini, M. see Amoruso, V.
Semlyen, A., Acha, E., Arrillaga, J., and Medina, A. see Acha, E.
Serag, A.M., Walker, P.A.W., and Abdalla, O.H. see Walker, P.A.W.
Shahidehpour, S.M., and Tong, S.K. see Tong, S.K.
Shuttleworth, R., Auckland, D.W., and Omoigui, M.O. see Auckland, D.W.
Silvestri, A., Granelli, G.P., Marannino, P., and Montagna, M. see Granelli, G.P.
Slomovitz, D. Correction of power transformer no-load losses, measured under nonsinusoidal voltage waveforms p42
Soudack, A.C., and Naredo, J.L. see Naredo, J.L.
Soulsby, D.R., Broughton, R.C., Oliver, A.J., Stephenson, P.L., Boone, W., and Kuiper, J. see Broughton, R.C.
Srivastava, S.C., Nanda, J., and Kothari, D.P. see Nanda, J.
Stephenson, P.L., Broughton, R.C., Oliver, A.J., Soulsby, D.R., Boone, W., and Kuiper, J. see Broughton, R.C.
Sylos Labini, M., Amoruso, V., and Savino, M. see Amoruso, V.

T

Tam, W.-Y., and Yung, E.K.-N. see Yung, E.K.-N.
Thomas, D.W.P., Christopoulos, C., and Wright, A. see Christopoulos, C.
Tong, S.K., and Shahidehpour, S.M. Combination of Lagrangian-relaxation and linear-programming approaches for fuel-contrained unit-commitment problems p162
Tosato, F., and Premoli, A. see Premoli, A.

V

Vasantha, M.K., Desai, B.T., and Gupta, H.O. see Desai, B.T.
van Loon, L.J.M., Koopmans, G., van de Wiel, G.M.L.M., and Palland, C.L. see Koopmans, G.
van de Wiel, G.M.L.M., Koopmans, G., van Loon, L.J.M., and Palland, C.L. see Koopmans, G.
van den Heuvel, W.M.C., Janssen, A.L.J., and Damstra, G.C. Interruption of short-circuit currents in MV networks with extremely long time constants p115

W

Walker, P.A.W., Serag, A.M., and Abdalla, O.H. Integrated excitation and turbine control in a multimachine power system p331
Wang, L., and Hsu, Y.-Y. see Hsu, Y.-Y.
Watson, N.R., Arrillaga, J., and Arnold, C.P. Simulation of HV DC system disturbances with reference to the frequency dependence of the AC system p9
Wilcox, D.J., Hurley, W.G., and Conlon, M. Calculation of self and mutual impedances between sections of transformer windings p308
Wong, K.P., and Cheung, H.N. Expert system for protection current transformer design specification preparation p391
Woodcock, B.G., Arkell, C.A., Galloway, S.J., Parsons, E.B., and Woolmer, D.E. see Arkell, C.A.
Woolmer, D.E., Arkell, C.A., Galloway, S.J., Parsons, E.B., and Woodcock, B.G. see Arkell, C.A.
Wright, A., Christopoulos, C., and Thomas, D.W.P. see Christopoulos, C.
Wvong, M.D., and Mihirig, A.M. see Mihirig, A.M.

Y

Yung, E.K.-N., and Tam, W.-Y. Analysis of a circular earthing plate p385

ALGORITHMS

Contingency constrained economic dispatch algorithm for transmission planning. P.E. Berry and R.M. Dunnett p238
Fast power system voltage prediction using knowledge-based approach and on-line box data creation. C.S. Chang p87
New optimal power-dispatch algorithm using Fletcher's quadratic programming method. J. Nanda, D.P. Kothari and S.C. Srivastava p153
Nonrecursive methods for real-time determination of basic waveforms of voltages and currents. T. Łobos p347

CABLES AND OVERHEAD LINES

Design, manufacture and installation of 150 kV submarine cable system for the Java–Madura interconnection. C.A. Arkell, S.J. Galloway, E.B. Parsons, B.G. Woodcock and D.E. Woolmer p121
Engineering method for high-voltage substations lightning performance estimation. M.S. Savić p222
Investigation of temperature and oil flow in EHV sealing ends. R.C. Broughton, A.J. Oliver, D.R. Soulsby, P.L. Stephenson, W. Boone and J. Kuiper p230
Soil physical route survey and cable thermal design procedure. G. Koopmans, G.M.L.M. van de Wiel, L.J.M. van Loon and C.L. Palland p341

CIRCUIT BREAKERS AND CIRCUIT BREAKING

Interruption of short-circuit currents in MV networks with extremely long time constants. W.M.C. van den Heuvel, A.L.J. Janssen and G.C. Damstra p115

COMPUTER APPLICATIONS

Expert system for protection current transformer design specification preparation. K.P. Wong and H.N. Cheung p391
Fast and efficient gradient projection algorithm for dynamic generation dispatching. G.P. Granelli, P. Marannino, M. Montagna and A. Silvestri p295

COMPUTER SIMULATION

Investigation of temperature and oil flow in EHV sealing ends. R.C. Broughton, A.J. Oliver, D.R. Soulsby, P.L. Stephenson, W. Boone and J. Kuiper p230

CONTROL SYSTEMS

Improvement of power system stability by crosscoupling generator control systems. D.W. Auckland, M.O. Omoigui and R. Shuttleworth p289
Integrated excitation and turbine control in a multimachine power system. P.A.W. Walker, A.M. Serag and O.H. Abdalla p331

CONTROL THEORY

Modal control of an HV DC system for the damping of subsynchronous oscillations. Y.-Y. Hsu and L. Wang p78

CONVERTORS

Simulation of HV DC system disturbances with reference to the frequency dependence of the AC system. N.R. Watson, J. Arrillaga and C.P. Arnold p9

DESIGN

Electromagnetic design of turbogenerator stator end regions. B.C. Mecrow, A.G. Jack and C.S. Cross p361

DISTRIBUTION NETWORKS

Feeder load analysis for utility demand side management. G.B. Jasmon, A.H. Azit and S.B. Sairan p303
Review of distribution system planning models: a model for optimal multistage planning. T. Gönen and I.J. Ramirez-Rosado p413

EARTHING

Analysis of a circular earthing plate. E.K.-N. Yung and W.-Y. Tam p385
Analysis of large grounding systems for earth-resistance measurements in two-layer soils. V. Amoruso, M. Savino and M. Sylos Labini p314

EDDY CURRENTS

Calculation of self and mutual impedances between sections of transformer windings. D.J. Wilcox, W.G. Hurley and M. Conlon p308

ELECTROMAGNETIC THEORY

Electromagnetic design of turbogenerator stator end regions. B.C. Mecrow, A.G. Jack and C.S. Cross p361

FILTERS AND FILTERING

Nonrecursive methods for real-time determination of basic waveforms of voltages and currents. T. Łobos p347

GENERATORS

The solution of scientific and engineering problems in the development of electrical generating plant. W. Fairney p1

HYDROELECTRIC POWER GENERATION

correspondence: Minimum loss against minimum fuel power flow in hydrothermal electrical power systems. M.E. Hawary and K.M. Ravindranath p315

INSULATORS AND INSULATION

Random energisation transients in EHV systems. M. Morcos and H. Anis p325

INTERFERENCE

Ripple control signal interference due to a lightly loaded rural distribution line. T.B. Norriss and P.S. Bodger p401

LIGHTNING AND LIGHTNING PROTECTION

Engineering method for high-voltage substations lightning performance estimation. M.S. Savić p222

LOAD AND VOLTAGE REGULATION

Double-iterative algorithm for the analysis of power and harmonic flows at AC/DC convertor terminals. J. Arrillaga and C.D. Callaghan p319
The delta resonator: a new approach to load compensation theory in three-phase power systems. A. Premoli and F. Tosato p381

LONG-TERM PLANNING

Review of distribution system planning models: a model for optimal multistage planning. T. Gönen and I.J. Ramirez-Rosado p413

MATHEMATICAL TECHNIQUES

Combination of Lagrangian-relaxation and linear-programming approaches for fuel-contrained unit-commitment problems. S.K. Tong and S.M. Shahidehpour p162
Extension of Senn's method to the analysis of PLC systems applied to delta transmission lines. J.L. Naredo and A.C. Soudack p353
Fast and efficient gradient projection algorithm for dynamic generation dispatching. G.P. Granelli, P. Marannino, M. Montagna and A. Silvestri p295
Information debugging for real-time power systems monitoring. M.B. Do Coutto Filho, A.M. Leite da Silva, J.M.C. Calvo Cantera and R.A. da Silva p145
Nonrecursive methods for real-time determination of basic waveforms of voltages and currents. T. Łobos p347
Review of distribution system planning models: a model for optimal multistage planning. T. Gönen and I.J. Ramirez-Rosado p413
Structure of measurement Jacobian matrices for power systems. J.F. Marsh p407

MATRIX ALGEBRA

General frame of reference for analysis of harmonic distortion in systems with multiple transformer nonlinearities. E. Acha, J. Arrillaga, A. Medina and A. Semlyen p271

MEASUREMENT AND MEASURING

Analysis of large grounding systems for earth-resistance measurements in two-layer soils. V. Amoruso, M. Savino and M. Sylos Labini p314
Two level dynamic state estimator for electric power systems based on nonlinear transformation. A. Bahgat, M.M.F. Sakr and A.R. El-Shafei p15

MODELLING

Effects of active and reactive power modelling in optimal load flow studies. L.G. Dias and M.E. El-Hawary p259
Forecasting monthly peak demand in fast growing electric utility using a composite multiregression-decomposition model. E.H. Barakat and M.A.M. Eissa p35
Multiperiod secure economic dispatch for large-scale power systems. K.S. Hindi and M.R. Ab. Ghani p130
Nonlinear parameter estimation experiments for static load modelling in electric power systems. L.G. Dias and M.E. El-Hawary p68
Review of distribution system planning models: a model for optimal multistage planning. T. Gönen and I.J. Ramirez-Rosado p413
Simulation of HV DC system disturbances with reference to the frequency dependence of the AC system. N.R. Watson, J. Arrillaga and C.P. Arnold p9
Structure of measurement Jacobian matrices for power systems. J.F. Marsh p407

MONITORING

Contingency cut-off criteria in transmission system adequacy assessment. R. Billinton, E. Khan and S.K. Agarwal p215

OPTIMISATION

Effects of active and reactive power modelling in optimal load flow studies. L.G. Dias and M.E. El-Hawary p259
New optimal power-dispatch algorithm using Fletcher's quadratic programming method. J. Nanda, D.P. Kothari and S.C. Srivastava p153
correspondence: Minimum loss against minimum fuel power flow in hydrothermal electrical power systems. M.E. Hawary and K.M. Ravindranath p315

PATTERN RECOGNITION

Fast power system voltage prediction using knowledge-based approach and on-line box data creation. C.S. Chang p87

PLANT CONDITION MONITORING

The solution of scientific and engineering problems in the development of electrical generating plant. W. Fairney p1

POWER SYSTEM PROTECTION

Analysis of a circular earthing plate. E.K.-N. Yung and W.-Y. Tam p385
Expert system for protection current transformer design specification preparation. K.P. Wong and H.N. Cheung p391
Information debugging for real-time power systems monitoring. M.B. Do Coutto Filho, A.M. Leite da Silva, J.M.C. Calvo Cantera and R.A. da Silva p145
Interruption of short-circuit currents in MV networks with extremely long time constants. W.M.C. van den Heuvel, A.L.J. Janssen and G.C. Damstra p115

Line and shunt switching to alleviate overloads and voltage violations in power networks. N. Müller and V.H. Quintana p246
Transient stability analysis of multimachine power systems by catastrophe theory. A.M. Mihirig and M.D. Wvong p254

POWER SYSTEMS AND PLANT

Application of rule-base stabilising controller to electrical power system. T. Hiyama p175
Damping of power system oscillations by excitation control using a current feedback signal. H.M.A. Hamdan, A.M.A. Hamdan and B. Kahhaleh p137
Design of an optimal current regulator for weak AC/DC systems using Kalman filtering in the presence of unknown inputs. A.T. Alexandridis and G.D. Galanos p57
Determination of first swing stability limit of multimachine power systems through Taylor series expansions. M.H. Haque and A.H.M.A. Rahim p373
Economic justification of cogeneration systems for industrial steam users and utility systems. S.A. Farghal, R.M. El-Dewieny and A.M. Riad p100
Forecasting monthly peak demand in fast growing electric utility using a composite multiregression-decomposition model. E.H. Barakat and M.A.M. Eissa p35
Improvement of power system stability by crosscoupling generator control systems. D.W. Auckland, M.O. Omoigui and R. Shuttleworth p289
Influence of the fluctuation of the ambient temperature on the lifetime of metal oxide arresters. A. Bronfman p55
Integrated excitation and turbine control in a multimachine power system. P.A.W. Walker, A.M. Serag and O.H. Abdalla p331
Line and shunt switching to alleviate overloads and voltage violations in power networks. N. Müller and V.H. Quintana p246
Multiperiod secure economic dispatch for large-scale power systems. K.S. Hindi and M.R. Ab. Ghani p130
Nonlinear parameter estimation experiments for static load modelling in electric power systems. L.G. Dias and M.E. El-Hawary p68
Power systems transient stability assessment using catastrophe theory. A.A. Sallam p108
Structure of measurement Jacobian matrices for power systems. J.F. Marsh p407
Two level dynamic state estimator for electric power systems based on nonlinear transformation. A. Bahgat, M.M.F. Sakr and A.R. El-Shafei p15
Unified weekly peak load forecasting for fast growing power system. Z.S. Elrazaz and A.A. Mazi p29

POWER TRANSMISSION AND DISTRIBUTION

Contingency constrained economic dispatch algorithm for transmission planning. P.E. Berry and R.M. Dunnett p238
Contingency cut-off criteria in transmission system adequacy assessment. R. Billinton, E. Khan and S.K. Agarwal p215
Design, manufacture and installation of 150 kV submarine cable system for the Java–Madura interconnection. C.A. Arkell, S.J. Galloway, E.B. Parsons, B.G. Woodcock and D.E. Woolmer p121
Double-iterative algorithm for the analysis of power and harmonic flows at AC/DC convertor terminals. J. Arrillaga and C.D. Callaghan p319
Extension of Senn's method to the analysis of PLC systems applied to delta transmission lines. J.L. Naredo and A.C. Soudack p353
Feeder load analysis for utility demand side management. G.B. Jasmon, A.H. Azit and S.B. Sairan p303
Random energisation transients in EHV systems. M. Morcos and H. Anis p325
Reliability evaluation of transmission and distribution configurations with duration dependent effects. C.C. Fong p314 e314
Ripple control signal interference due to a lightly loaded rural distribution line. T.B. Norriss and P.S. Bodger p401
Soil physical route survey and cable thermal design procedure. G. Koopmans, G.M.L.M. van de Wiel, L.J.M. van Loon and C.L. Palland p341

POWER UTILISATION AND INDUSTRIAL APPLICATIONS

Combination of Lagrangian-relaxation and linear-programming approaches for fuel-contrained unit-commitment problems. S.K. Tong and S.M. Shahidehpour p162

RELAYS

Signal processing and discriminating techniques incorporated in a protective scheme based on travelling waves. C. Christopoulos, D.W.P. Thomas and A. Wright p279

RELIABILITY

Reliability evaluation of transmission and distribution configurations with duration dependent effects. C.C. Fong p314 e314

SIGNAL PROCESSING

Signal processing and discriminating techniques incorporated in a protective scheme based on travelling waves. C. Christopoulos, D.W.P. Thomas and A. Wright p279

SIMULATION

TCR and SR compensators in composite electromagnetic transient simulation. T.T. Nguyen and W.D. Humpage p195

STABILISERS

Effect of excitation systems and of power system stabilisers on synchronous generator damping and synchronising torques. S.E.M. de Oliveira p264

STABILITY

Application of rule-base stabilising controller to electrical power system. T. Hiyama p175
Damping of power system oscillations by excitation control using a current feedback signal. H.M.A. Hamdan, A.M.A. Hamdan and B. Kahhaleh p137
Determination of first swing stability limit of multimachine power systems through Taylor series expansions. M.H. Haque and A.H.M.A. Rahim p373
Improvement of power system stability by crosscoupling generator control systems. D.W. Auckland, M.O. Omoigui and R. Shuttleworth p289
Power systems transient stability assessment using catastrophe theory. A.A. Sallam p108
Random energisation transients in EHV systems. M. Morcos and H. Anis p325
Transient stability analysis of multimachine power systems by catastrophe theory. A.M. Mihirig and M.D. Wvong p254

SYNCHRONOUS GENERATORS

Effect of excitation systems and of power system stabilisers on synchronous generator damping and synchronising torques. S.E.M. de Oliveira p264

SYSTEM PROTECTION

Signal processing and discriminating techniques incorporated in a protective scheme based on travelling waves. C. Christopoulos, D.W.P. Thomas and A. Wright p279

THYRISTORS

TCR and SR compensators in composite electromagnetic transient simulation. T.T. Nguyen and W.D. Humpage p195

TRANSFORMERS

Calculation of self and mutual impedances between sections of transformer windings. D.J. Wilcox, W.G. Hurley and M. Conlon p308
Correction of power transformer no-load losses, measured under nonsinusoidal voltage waveforms. D. Slomovitz p42
Expert system for protection current transformer design specification preparation. K.P. Wong and H.N. Cheung p391
General frame of reference for analysis of harmonic distortion in systems with multiple transformer nonlinearities. E. Acha, J. Arrillaga, A. Medina and A. Semlyen p271
New one-cycle static blocking scheme for inrush in differential relay. B.T. Desai, H.O. Gupta and M.K. Vasantha p48

TRANSIENTS

Frequency domain-based methods to predict turbogenerator transients with particular emphasis on the field current. A.G. Jack, L.G. Meng and T.J. Bedford p206
New one-cycle static blocking scheme for inrush in differential relay. B.T. Desai, H.O. Gupta and M.K. Vasantha p48
Power systems transient stability assessment using catastrophe theory. A.A. Sallam p108

TRANSMISSION LINES

Soil physical route survey and cable thermal design procedure. G. Koopmans, G.M.L.M. van de Wiel, L.J.M. van Loon and C.L. Palland p341
Voltage contingency selection technique for security assessment. A. Mohamed and G.B. Jasmon p24

TURBOGENERATORS

Electromagnetic design of turbogenerator stator end regions. B.C. Mecrow, A.G. Jack and C.S. Cross p361
Frequency domain-based methods to predict turbogenerator transients with particular emphasis on the field current. A.G. Jack, L.G. Meng and T.J. Bedford p206
Integrated excitation and turbine control in a multimachine power system. P.A.W. Walker, A.M. Serag and O.H. Abdalla p331

Addresses

Fairney, W. Address as the Chairman of the IEE Power Division: The solution of scientific and engineering problems in the development of electrical generating plant p1